

Opti Temp Controllers For Process Chillers & HX

OT Series - Controllers



Controller Introduction:

Opti Temp Engineering is proud to announce the success of development efforts resulting in a new line of controllers to handle more integrated functions than our traditional single point controllers. The change from a standard process controller to a Programmable Logic Controller (PLC) allows more integrated control functions. This advancement by Opti Temp eliminates discrete switching relays and timers that had been used. The change in the design opens up an integrated approach to our controls design, we can now run all signal and control functions through the controller resulting in less complex panel wiring and greater reliability. We are able to enhance our functionality without adding additional parts to the design using programming control logic rather than relay logic. The PLC allows for even greater flexibility in Opti Temp chiller design to meet our customer's specific challenges.

Contact Information:

Opti Temp Inc.
1500 International Dr.
Traverse City, MI 49686
P: 231-946-2931
F: 231-946-0128
E: information@optitemp.com

Options:

Option #1:

- Standard Indoor Application
- RS485 communication
- Panel Mounted Controller
- Up to 3 Control Loops
- Status and Fault indication front panel
- PV/SP, 5 second/display
- °F or °C display
- 24 VDC Power Input
- 22 Digital/Analog Inputs & Outputs (expandable)
- Certifications: CE, CSA

Option #2:

- DIN Rail mounted version of Option #1
- Outdoor or secure indoor applications
- RS485 communication

Option #3:

- All specifications as Option #1 & #2 above
- DIN Rail mounted controller
- Outdoor or secure indoor applications
- Ethernet TCP/IP Communication
- 28 Digital/Analog Inputs & Outputs (expandable)

Additional Options:

- Touch Panel Screen
- 24VDC Power
- IP65 Front Panel

